

- P1 / City Hall Calendar**
- Citywide Garage Sale
 - Mowing & Trimming
 - Citywide Cleanup



- P2/ Water Policy Review**
- Hillside Cemetery
 - In Search Of: Volunteers
 - Building Permits
 - Consumer Confidence Report
 - Swimming Pool Flyers

Sedgwick Scanner

2017 Spring Edition

City Hall Calendar

*City Council meets every 1st and 3rd Monday of the month at 7:30 PM unless the date falls on a Holiday or re-scheduled by Council.

** Public is always welcome to attend.

*2017 City Hall Holiday closings

- Monday, May 29, Memorial Day
- Tuesday, July 4, Independence Day
- Monday, Sept. 4, Labor Day
- Thursday, Nov. 23 & Friday, Nov. 24, Thanksgiving Day
- Monday, Dec. 25 & Tuesday, Dec. 26, Christmas



Payment Options:
Drop Box or
Pay Online
www.cityofsedgwick.org

NEW HOURS
CITY HALL
10AM – 5PM

Open at 8AM on 3rd Day of the Month to collect payments before disconnect

Find us on Facebook - City of Sedgwick, Kansas - for upcoming events and announcements.

Happy Spring!!
Mowing and trimming has begun. Please keep grass clippings out of streets and curbs.



Citywide Garage Sale
Saturday, May 6, 2017
\$15 Benefit for \$15
Sedgwick Booster Club
Scholarship Fund

Permits required. Purchase at Sedgwick City Hall

Visit the City's website: www.cityofsedgwick.org

>> CONT. PAGE TWO

Water Policy Review



Meter Reading & Billing Practices—water meters are read on the 20th of the month and bills for services are computed on a monthly basis. Bills are mailed by the 1st of the month. All bills are due and payable upon receipt.

Delinquent bills—A bill is delinquent and late charge is applied if not received by the city on or before 5pm the 20th of the month, unless the 20th falls on a weekend or Holiday, it will be due by 5pm the following working day. A late card will be mailed on the 21st of the month, notifying customers they are late.

****No door hangers will be hung warning of disconnection due to non-payment.**

Maintenance will shut-off meters for non-payment on the 3rd of the month at 10am. Once past due & disconnect is paid, reconnections will be made at 9am and 4pm only. Extension requests must be made in person at City Hall. A limit of 3 extensions are allowed per customer account holder, per calendar year.



HILLSIDE CEMETERY UPDATE

Memorial Day preparations will soon begin at Hillside Cemetery. If you have any decorations that you want to save, please remove them now during this cleanup. Grooming will continue through Friday, May 15. This will allow for one full week and two weekends for remembrances to be placed on the graves of loved ones. Anyone wishing to save any of these decorations must pick them up within 14 days following Memorial Day. After June 14, all Memorial Day decorations and containers, except permanent containers, will be removed and destroyed. Thank you for your cooperation.

IN SEARCH OF VOLUNTEERS:

Do you have an interest in serving you community? There are many opportunities available:

Booster Club, Historical Society, Planning Commission, Library Board, Tree Board, Recreation Commission, Fire/EMS Services, Housing Authority.

Volunteer Applications are available at City Hall, 511 N. Commercial.

Are you interested in Local Government?

The election for Mayor/2 Council seats will be held on Nov. 7, 2017
Candidates must register by 12 noon, June 1, 2017, at the Harvey County Clerks Office, 800 N. Main Newton, Kansas

Building Permits

Before you begin a building project (fences, pools & general remodeling) check with City Hall to see if a permit is required. The city staff will assist you in whether a permit is required, filling out the permits and the costs.



Citywide Cleanup 2017!



**All trash must be at curbside before 6AM...
No call backs!**

Thursday, May 18... Trash & Recycling
****Extra Residential Household Trash Only!!**

Saturday, May 20... All Extra Residential Household Trash items+++PLUS *furniture *stoves *dishwashers *mattresses *old lawn mowers *electronics *microwaves *scrap metal *hot water tanks *appliances—Refrigerators, freezers & A/C units MUST be Freon free and tagged by licensed plumber! *construction debris MUST be tied in 3'x2' bundles, loose items such as tile, must be in containers. *scrap metal MUST be in throw-away containers.

NO!

**BROKEN GLASS—CAR/TRUCK PARTS—ROCK,
CONCRETE OR BRICKS—HAZARDOUS MATERIALS—
INCLUDING OIL, PAINT CANS &
CHEMICAL CONTAINERS**



4 passenger tires w/o rims, small garden tires/toy tires can be brought to the City Shop, 320 N. Washington on Saturday, May 20th. 9am—11am

Grass Clippings, Leaves and Limbs are to be taken to the City Burn Site ~

DO NOT dump yard waste/grass clippings in curbs, ditches or trash cans.



Illegal dumping in the City Burn Site may cause the site to be closed and may incur a fine. Burn site is monitored.

Sedgwick Community Pool

Opening

MAY 27TH



PUBLIC SWIM HOURS
MONDAY THRU SUNDAY
1PM TO 6PM DAILY

Swim Team - 9am to 11am - Monday - Thursday
Swim Lessons - 12pm to 1pm- Monday - Thursday
Swim Lessons - 6pm to 7pm- Tuesday & Thursday
Adult Swim - Noon to 1pm - Monday - Thursday
Family Swim - 7pm to 9pm - Monday - Friday
Hour are subject to change!



Daily Prices

Children 12 and under	\$ 1.50 Daily
Children between 13-17	\$ 2.50 Daily
Adults 18 and over	\$ 3.00 Daily

Pass Prices

Single Child Season Pass	\$ 35.00
Single Adult Season Pass	\$ 60.00
Family Season Pass	\$ 150.00

Family pass includes 2 adults and up to 4 children if more than 4 children add \$15.00 per child.
Children 7 and under must be accompanied by an adult (16 and over)

Pool Rental—\$50.00 per hour up to 30 person maximum for additional persons add \$2.00 per person, per hour.

Lessons/Team - Lesson cost is \$30.00 per person. Team cost is \$55.00 per person – See attached information for lesson times, activity information & registration forms.

City of Sedgwick Swimming Lessons, Team & Activities

Summer 2017

Sedgwick Community Pool will be having swim lessons for children. Don't miss the great opportunity of having your child taught to swim by our certified lifeguards. Classes will be held in 2 week sessions starting on Mondays and ending on the following Thursday. We will **NOT** have lessons on Friday mornings and all lessons will be between the hours of noon to 1pm. Listed below are the classes we are offering. Lessons are 30 dollars (\$30.00) a session and will be held in 45 minute intervals. Swim Team cost is 55 dollars (\$55.00), this covers the fee, tournaments, and shirts. **PAID REGISTRATIONS NEED TO BE TURNED IN TO CITY HALL ON OR BEFORE JUNE 2nd FOR SESSION ONE. REGISTRATIONS FOR SESSIONS TWO THRU FOUR NEED TO BE TURNED IN AS SOON AS POSSIBLE TO SECURE THE CLASS AND PAYMENT MADE ONE WEEK PRIOR TO THE START OF CLASS.**

Session One: June 5 thru June 15
Session Two: June 19 thru June 29

Session Three: July 10 thru July 20
Session Four: July 24 thru August 3

SWIM TEAM: 11 & up (9:00am – 10:00am) Monday-Thursday
There will be 4 to 6 meets. Most will be in Wichita on Monday afternoons.

SWIM TEAM: 10 & under (10:00am – 11:00am) Monday-Thursday
There will be 4 to 6 meets. Most will be in Wichita on Monday afternoons.

GOLDFISH: ages 5 to 6 (12pm to 1pm) all 4 sessions
Objectives include exploring the water, learning floatation and accurate breathing techniques.

STARFISH: ages 6 to 7 (12pm to 1pm) all 4 sessions
Objectives include front, back and breaststroke, learning to dive properly, and reviewing previous skills.

Jelly Fish: ages 8 to 9 (12pm to 1pm) 1st and 3rd sessions
Objectives include treading water, diving skills, and reviewing previous skills.

FROGS: ages 10 to 11 (12pm to 1pm) 2nd and 4th sessions
Objectives include advanced strokes (butterfly and breast), learning underwater turns, and reviewing previous skills.

Evening Classes: Tuesday & Thursday (6pm- 7pm) 8 sessions in June & 8 sessions in July.

--After completing the Frogs class the student has then graduated the Swimming Lessons program and will receive a graduate certificate.--

- ❖ If enough interest is shown, we will hold a **TADPOLE** class for introductory lessons for those children age 4 and under. This class requires a parent to be in the pool with each child. These classes could be held on Saturday mornings 12pm to 1pm. Class will be determined by the number of registrations received.

ADULTS AND SENIOR'S

Adult lap swims is from noon to 1pm Mon.-Thurs. Adult water aerobics 6:00pm to 7:00pm Mon, Wed., Fri. Please contact City Hall or one of the contacts above for more information.

Any questions regarding specification for classes:

Abra Thieme

Sedgwick Community Pool Manager /Swim Coach

316.650.6676

email abrathieme@gmail.com

CITY OF SEDGWICK

Consumer Confidence Report – 2017

Covering Calendar Year – 2016

This brochure is a snapshot of the quality of the water that we provided last year. Included are the details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information because informed customers are our best allies. If you would like to observe the decision-making process that affect drinking water quality, please call ERIC PURK at 316-772-5151.

Our drinking water is supplied from another water system through a Consecutive Connection (CC). Your water comes from :

Buyer Name	Seller Name
CITY OF SEDGWICK	PUBLIC WHOLESALE WSD 17
PUBLIC WHOLESALE WSD 17	CITY OF NEWTON

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) included rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in sources water before we treat it include:

- Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock operations and wildlife.
- Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides**, which may come from a variety of sources such as storm water run-off, agriculture, and residential users.
- Radioactive contaminants**, which can be naturally occurring or the result of mining activity.
- Organic contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and also come from gas stations, urban storm water run-off, and septic systems.

In order to ensure that tap water is safe to drink, EPA prescribes regulation which limits the amount of certain contaminants in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Our water system is required to test a minimum of 2 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special

follow-up tests are done to determine if harmful bacteria are present in the water supply. If this limit is exceeded, the water supplier must notify the public.

Water Quality Data

The following tables list all of the drinking water contaminants which were detected during the 2016 calendar year. The presence of these contaminants does not necessarily indicate the water poses a health risk. Unless noted, the data presented in this table is from the testing done January 1- December 31, 2016. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old. **The bottom line is that the water that is provided to you is safe.**

Terms & Abbreviations

Maximum Contaminant Level Goal (MCLG): the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL): the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Secondary Maximum Contaminant Level (SMCL): recommended level for a contaminant that is not regulated and has no MCL.

Action Level (AL): the concentration of a contaminant that, if exceeded, triggers treatment or other requirements.

Treatment Technique (TT): a required process intended to reduce levels of a contaminant in drinking water.

Maximum Residual Disinfectant Level (MRDL): the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Non-Detects (ND): lab analysis indicates that the contaminant is not present.

Parts per Million (ppm) or milligrams per liter (mg/l)

Parts per Billion (ppb) or micrograms per liter (µg/l)

Picocuries per Liter (pCi/L): a measure of the radioactivity in water.

Millirems per Year (mrem/yr): measure of radiation absorbed by the body.

Monitoring Period Average (MPA): An average of sample results obtained during a defined time frame, common examples of monitoring periods are monthly, quarterly and yearly.

Nephelometric Turbidity Unit (NTU): a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person. Turbidity is not regulated for groundwater systems.

Running Annual Average (RAA): an average of sample results obtained over the most current 12 months and used to determine compliance with MCLs.

Locational Running Annual Average (LRAA): Average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Testing Results for: CITY OF SEDGWICK

Disinfection Byproducts	Monitoring Period	Your Highest RAA	Range (low/high)	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAA5)	2016	6	5.9	ppb	60	0	By-product of drinking water disinfection
TTHM	2016	16	16	ppb	80	0	By-product of drinking water chlorination

Lead and Copper	Monitoring Period	90 th Percentile	Range (low/high)	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2013 - 2015	0.86	0.02 - 0.96	ppm	1.3	0	Corrosion of household plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>

During the 2016 calendar year, we had no violation(s) of drinking water regulations.

Some or all of our drinking water is supplied from another water system. The table below lists all of the drinking water contaminants, which were detected during the 2016 calendar year from the water systems that we purchase drinking water from.

Regulated Contaminants	Collection Date	Water System	Your Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
ARSENIC	3/24/2015	CITY OF NEWTON	4.8	4.8	ppb	10	0	Erosion of natural deposits
BARIUM	3/24/2015	CITY OF NEWTON	0.16	0.16	ppm	2	2	Discharge from metal refineries
CHROMIUM	3/24/2015	CITY OF NEWTON	1.7	1.7	ppb	100	100	Discharge from steel and pulp mills
FLUORIDE	5/16/2016	CITY OF NEWTON	0.54	0.41 - 0.54	ppm	4	4	Natural deposits; Water additive which promotes strong teeth.
NITRATE	5/9/2016	CITY OF NEWTON	4.9	4.9	ppm	10	10	Runoff from fertilizer use
SELENIUM	3/24/2015	CITY OF NEWTON	5.3	5.3	ppb	50	50	Erosion of natural deposits

Secondary Contaminants	Collection Date	Water System	Your Highest Value	Range (low/high)	Unit	SMCL
ALKALINITY, TOTAL	3/24/2015	CITY OF NEWTON	250	250	MG/L	300
CALCIUM	3/24/2015	CITY OF NEWTON	90	90	MG/L	200
CHLORIDE	3/24/2015	CITY OF NEWTON	40	40	MG/L	250
CONDUCTIVITY @ 25 C UMHOS/CM	3/24/2015	CITY OF NEWTON	710	710	UMHO/CM	1500
CORROSIVITY	3/24/2015	CITY OF NEWTON	0.85	0.85	LANG	0
HARDNESS, TOTAL (AS CaCO3)	3/24/2015	CITY OF NEWTON	270	270	MG/L	400
MAGNESIUM	3/24/2015	CITY OF NEWTON	10	10	MG/L	150
PH	3/24/2015	CITY OF NEWTON	8.1	8.1	PH	8.5
PHOSPHORUS, TOTAL	3/24/2015	CITY OF NEWTON	0.087	0.087	MG/L	5
POTASSIUM	3/24/2015	CITY OF NEWTON	1.4	1.4	MG/L	100
SILICA	3/24/2015	CITY OF NEWTON	30	30	MG/L	50
SODIUM	3/24/2015	CITY OF NEWTON	49	49	MG/L	100
SULFATE	3/24/2015	CITY OF NEWTON	44	44	MG/L	250
TDS	3/24/2015	CITY OF NEWTON	440	440	MG/L	500

Please Note: Because of sampling schedules, results may be older than 1 year.

During the 2016 calendar year, the water systems that we purchase water from had no violation(s) of drinking water regulations.